

# CARMEL GROUP INC.

## SAFETY DATA SHEET

### SECTION 1 – CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

|   |   |   |
|---|---|---|
| Product<br><b>Triangle Clay Tailor Chalk, Various Colors</b>  |   | Revision date<br><b>10/24/17</b>  |
| Previous revision date<br><b>11/06/09</b>   | Product code<br><b>TC12902 to TC12912</b> | Material use<br><b>Large size for increased life span with 3 grooves for better grip.</b> |
| Manufacture's Name and issuing location<br><b>CARMEL GROUP INC.<br/>10220 ARMAND LAVERGNE AVE.<br/>MONTRÉAL, QUE. H1H 3N4<br/>PHONE : 514-270-5377<br/>FAX : 514-270-2025<br/>INTERNET : www.carmelindustries.com</b> |   | <b>EMERGENCY PHONE NUMBER<br/>CANUTEC 613-996-6666</b>                                    |

### SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Ingredients                    | CAS# | Amount (%) | Exposure Limits |       |
|--|------|------------|-----------------|-------|
|  |      |            | LD/50           | LC/50 |
| None as defined by OSHA 29 CRF 1910.1200 |      |            |                 |       |

### SECTION 3 – HAZARD IDENTIFICATION

#### Emergency Overview

The product is not expected to present any unusual hazards in proper use. For industrial use only.

|              |   |
|--------------|---|
| SKIN CONTACT | Not likely to occur.  |
| EYE CONTACT  | Mild mechanical irritation with dust of the product.  |
| INHALATION   | Dust of the product may cause respiratory irritation.   |
| INGESTION    | May cause gastrointestinal irritation, nausea, vomiting and diarrhea if a large amount is ingested. |

#### Potential Health Effects (NFPA Classification)

|   |                   |                |                                     |
|---|-------------------|----------------|-------------------------------------|
| Fire hazard : 0   | Health Hazard : 1 | Reactivity : 0 | Personal Protection : See Section 8 |
| 0 = Minimal 1 = Slight hazard 2= Moderate Hazard 3 = Serious Hazard 4 = Severe Hazard |                   |                |                                     |

### SECTION 4 – FIRST AID MEASURES

|                 |   |
|-----------------|---|
| EYE CONTACT     | Flush eyes with cold water for 15 minutes, seek medical attention.                      |
| SKIN CONTACT    | Remove contaminated clothing, wash skin with water.                                     |
| INHALATION      | Remove to fresh air, and give oxygen if breathing is difficult. Seek medical attention. |
| INGESTION       | Not likely to occur, large amounts may cause intestinal blockage.                       |
| ADDITIONAL INFO |   |

### SECTION 5 – FIRE FIGHTING MEASURES

|   |  |
|---|--|
| <b>Extinguishing Media</b>                | Use Water Fog, Foam, Dry Chemical and CO <sub>2</sub> .      |
| <b>Special Firefighting Procedure</b>     | Use water spray cool fire-exposed containers and structures. |
| <b>Unusual Fire and Explosion Hazards</b> | The packaging will burn if involved in a fire.               |

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

|                     |  |
|---------------------|--|
| <b>Small Spills</b> | Not likely to occur. Sweep or shovel up. |
|---------------------|--|

|  |  |                                     |                                  |
|--|--|-------------------------------------|----------------------------------|
| <b>Large Spills</b>  | Not likely to occur.   |                                     |                                  |
| <b>SECTION 7 – HANDLING AND STORAGE</b>  |  |                                     |                                  |
| <b>Handling procedures</b>   | Handle as a fragile material. The content will stain.  |                                     |                                  |
| <b>Storage precautions</b>   | Normal precaution should be followed in handling and storage. Store in a dry place. Keep out of strong sunlight. Do not store at temperature : > 104F/40C or near spark or open flame. |                                     |                                  |
| <b>SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION</b>   |  |                                     |                                  |
| <b>PERSONAL PROTECTION (ONLY IF MOLTEN)</b>  |  |                                     |                                  |
| <b>Respiratory protection</b>  | No special respiratory protection is normally required.  |                                     |                                  |
| <b>Protective gloves</b>   | No gloves are normally required.   |                                     |                                  |
| <b>Eye protection</b>  | No special protection is normally required.  |                                     |                                  |
| <b>Clothing</b>  | Standard industrial.   |                                     |                                  |
| <b>SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES</b>  |  |                                     |                                  |
| Appearance<br>Various Colors Stick   | Odor<br>no odor  | Physical state<br>Solid @ 25C / 77F | Boiling point<br>N / AV.         |
| Melting point<br>/825C   | Specific gravity (H <sub>2</sub> O=1)<br>> 2   | Vapor pressure (mm Hg) N<br>/ AV    | Solubility in water<br>Insoluble |
| Solubility in organic solvent<br>Partially Soluble   | Partitioning coefficient<br>N / AV.  | Flash point<br>N / AV.              | Percent volatiles<br>Nil         |
| <b>SECTION 10 – STABILITY AND REACTIVITY DATA</b>  |  |                                     |                                  |
| Stability<br>Stable  | Hazardous polymerization<br>Will not occur.  |                                     |                                  |
| Incompatibility<br>Normally unreactive; however avoid contact with strong oxidizing agent (ex. Peroxides, chlorine), strong bases or acids, sunlight or ultraviolet light, heat or high temperature. |  |                                     |                                  |
| Hazardous decomposition products<br>Burning can produce noxious and toxic fumes, and the following combustion products : Oxides of carbon, smoke, soot and various organic oxidation by-products.    |  |                                     |                                  |
| <b>SECTION 11 – TOXICOLOGICAL INFORMATION</b>  |  |                                     |                                  |
| Carcinogenicity<br>Not listed, not carcinogenic to date.   | Mutagenicity / Teratogenicity<br>Not listed  |                                     |                                  |
| Irritancy of Material<br>Slight potential irritant   | Sensitizing Capability<br>Slight   |                                     |                                  |
| Reproductive Effects<br>None known   | Synergistic Materials<br>None known  |                                     |                                  |
| <b>SECTION 12 – ECOLOGICAL INFORMATION</b>   |  |                                     |                                  |
| None known.  |  |                                     |                                  |
| <b>SECTION 13 – DISPOSAL CONSIDERATION</b>   |  |                                     |                                  |
| Dispose as industrial waste in accordance with appropriate Federal, State and local regulation.  |  |                                     |                                  |
| <b>SECTION 14 – TRANSPORT INFORMATION</b>  |  |                                     |                                  |
| Dot Classification<br>N / AV.  |  |                                     |                                  |
| IMDG Classification<br>N / AV.   |  |                                     |                                  |
| UN / NA Hazard No.<br>N / AV.  |  |                                     |                                  |
| ICAO Classification<br>N / AV.   |  |                                     |                                  |
| Other<br>N / AV.   |  |                                     |                                  |

| <b>SECTION 15 – REGULATORY INFORMATION</b>   |  |
|--|--|
| SARA Status                                  | None as defined by OSHA 29 CFR 1910.1200 |
| TSCA Status                                  | None                                     |
| OSHA Status                                  | None                                     |
| WHMIS Status                                 | Not a controlled material                |
| CPR Compliance                               | N / AV.                                  |
| <b>SECTION 16 – OTHER INFORMATION</b>        |  |
| <b>N/AV=NOT AVAILBLE</b>                     |  |
| SDS Originally made by<br><b>Karl Pinard</b> | Revised by<br><b>Federico Segovia</b>    |

The information contained in this document is derived from data supplied to Carmel Industries by the manufacturers or distributors of the raw materials combined to form this product. To the best of our knowledge all hazards have been noted for the intended use of the product and, since Carmel Industries cannot control conditions of use, the end user is obliged to determine the conditions permitting safe use of the product.

**CARMEL GROUP INC.**  
TRIPLE GROOVED TAILOR CHALK PRODUCTS

| <b>Product code</b> | <b>Product Description</b>        |
|---------------------|-----------------------------------|
| TC12902             | YELLOW 3x GRIP TAILOR CHALK       |
| TC12903             | WHITE 3x GRIP CLAY OR CHALK RED   |
| TC12904             | TRIANGLE 3x GRIP AILOR CHALK BLUE |
| TC12909             | TRIANGLE 3x GRIP CHALK            |
| TC12912             | BROWN 3x GRIP TAILOR CHALK        |